

UTILITY PATENT APPLICATION TRANSMITTAL

Attorney Doo	eket No.	0198/0	153
First Named Inv	entor or Application Id	entifier	Sylvie Veriac et al.
Title	"		ation Of Luecocytes And noglobin In A Sample Of
Express Mail	Label No.		

(Only for new nonprovisional applications under 37 C.F.R. 1.53(b))

APPLICAT	ION ELEMENT	s	ADDRESS	TO:	Assistant Comm Box Applications Washington, D.C	
- Descriptive titl - Cross Referenc - Statement Reg - Reference to N - Background of - Brief Summary	ment set forth below) e of the invention tes to Related Application parding Fed sponsored dicrofiche Appendix the Invention of the invention on of the Drawings (if iption e Disclosure USC 113)	otal Pages [16] tions R & D	a. b. c.	nd/or . in (<i>if</i> . Comp Paper	Amino Acid Sequer applicable, all nece uter readable copy Copy (identical to nent Verifying iden	ssary) O E
a. Newly execute		0 * 1				
b. Copy from a p (for continual completed) DELETIO Signed inventuates 37 5. Incorporation By Re checked) The entire from which a copy supplied under Box the disclosure of the	rior application (37 CF atton/divisional with Both M OF INVENTOR(S) I statement attached cor(s) named in the prior (2000 CFR 1.63(d)(2) and (2000 CFR 1.63(d)(2)) and (2000 C	R 1.63(d)) is 17 ieleting or application, i.33(b) or application, ion is eing part of	9. 37 CFR 3.7 10. English Trai 11. Information Statement 12. Preliminary 13. Return Reco (Should be: 14. Small Entity Statement(15. Certified co (if foreign 14. Other: Subi	(3(b) Sinstation Disclor (IDS) Amen eipt Pospecific (Specific py of priori mission	on Document (if apposers Colored Color	ower of Attorney olicable) opies of IDS itations prior application, or and desired s) rom France
17. If a CONTINUING APPL	ICATION, check appro		<i>apply the requisite in</i> a-part (CIP) of prior			
		B. CORRESPOND			, , ,	
☐ Customer Number or Ba		herel	or Attach bar cöde	or (correspondence	address below
NAME		Pollock, V	ande Sande & Ai	nerni	ck, R.L.L.P.	
ADDRESS			Suite 800 1990 M Street,	N.W.	•	
CITY	Washington	STATE	DC		ZIP CODE	20036-3425
COUNTRY	U.S.A	TELEPHON	(202) 331-71	11	FAX	(202) 293-6229

Fee Calculation and Transmittal (Col 1) (Col 2) (Col 3) SMALL ENTITY **NON-SMALL ENTITY** NO. FILED NO. EXTRA RATE ,,,,, . '.'. FEE OR RATE FEE TOTAL 11 minus 20 = 0 x9= x18= \$0 INDEP 1 minus x39= = 0 \$ x78= \$0 _ First Presentation, Multiple Dependent Claims +130= \$ +260= \$ Base Filing Fee \$345 \$690 Other Fee (specify purpose) Assignment recordal \$ \$40 TOTAL FILING FEE* (accounting for possible small entity status) \$ OR TOTAL \$730

\boxtimes	A check in the ame	ount of <u>\$730.00</u> to cover the filing fee is enclosed
	No payment is essubmitted.	nclosed at this time. Full payment will be made when the executed Declaration is
		is hereby authorized to charge and credit Deposit Account No. 22-0185 as described ecopy of this sheet is enclosed.
		Charge the amount of \$ as filing fee Credit any overpayment.
		Charge any additional filing fees required under 37 CFR § 1.16
		Charge any additional filing fees required under 37 CFR § 1.17

Name (Print/Type)	Burton A. Amernick	Registration No. (Attorney/Age	ent) 24,852
Signature	But allen.	Date	3-15-00

Reagent for determination of leucocytes and measurement of haemoglobin in a sample of blood

Background of the invention

5 The invention relates to haematological analyses.

More particularly, it concerns a reagent for determination of leucocytes and measurement of haemoglobin in a sample of blood.

10

The invention also aims to provide such a reagent which permits a leucocytic subpopulation to be identified, in particular the basophil polymorphonuclear leucocytes.

15 The determination of leucocytes, in particular of certain leucocytic subpopulations, as well as the measurement of the haemoglobin concentration of the erythrocytes or red corpuscles are very important for diagnosis in human pathology.

20

25

It will be recalled here that the leucocytes, or human white corpuscles, are divided into five subpopulations, namely three main subpopulations: the lymphocytes, monocytes and polymorphonuclear leucocytes or granulocytes, with the latter being themselves subdivided into neutrophils, eosinophils and basophils, according to the characteristics of their cytoplasmic granules.

Determination of the total leucocytes as well as

identification of their various subpopulations are achieved
by means of traditional techniques of microscopic
observation or by more modern techniques, mainly based on
the measurement of variations in resistivity (WO 84/03771)
or on optical diffraction (US 3,740,143), which have been
developed for specific automatic appliances.

20

For the identification of the leucocytic subpopulations the numeration of the basophil granulocytes is particularly tricky, considering that this population represents, in a healthy individual, only 0.5 % to 1 % of the total leucocytic population.

An increase in this basophil population is observed, attaining a population of 2 to 3 % by weight, in the course of allergic reactions. Amongst the infections,

- tuberculosis and varicella can bring about basophilia, as can myxoedema and hyperlipidaemias amongst the metabolic diseases. Consequently, numeration of the basophil granulocytes assumes particular importance.
- Patent FR 90 01660 and its equivalent US 5,196,346 describe a reagent that preserves the basophil granulocytes in such a way so as to permit determination thereof by measurement of resistivity. However, this reagent does not permit the measurement of haemoglobin.

It will be recalled that haemoglobin is a chromoprotein contained in the red corpuscles of the blood or erythrocytes.

- Measurement of the haemoglobin concentration therefore necessitates the use of a reagent for cellular lysis that is capable of causing lysis of the erythrocytes in order to liberate the haemoglobin for measurement thereof.
- For this purpose it is known to use reagents containing at least one detergent and cyanide ions which are capable of carrying out conversion of the haemoglobin into a chromogenic compound in order to permit determination thereof by colorimetry measurement.

A cyanic reagent of this type is described in patents US 3,874,852 and US 3,854,914.

However, these reagents have the principal drawback of using cyanide. Moreover, they do not permit identification and quantification of the leucocytic subpopulations contained in the sample of blood to be analysed.

It should be noted that reagents that do not contain

10 cyanide and that permit determination of leucocytes in
addition to measurement of haemoglobin have already been
proposed in the prior art.

Thus document WO 96/02841 describes a reagent for measuring haemoglobin without cyanide, which contains a detergent as well as a salt of hydroxylamine. This reagent can be used for numeration of the total leucocytes, but no leucocytic differentiation is possible.

20 Patent US 5,242,832 describes a similar reagent which also permits partial leucocytic identification. However, this reagent does not permit identification of the basophil cells but permits solely evaluation of the lymphocytes, monocytes and granulocytes.

25

Document WO 98/32016 also describes a reagent of this type. However, the minority granulocytic subpopulations, namely the eosinophils and the basophils, are not identified by the reagent that is described in this publication.

30

Summary of the invention

The object of the invention is, notably, to overcome the drawbacks of the known reagents.

It aims, in particular, to provide a haematologicalanalysis reagent for the determination of leucocytes, and in particular for the identification and quantification of a leucocytic subpopulation constituted by the basophil 5 cells, in a sample of whole blood.

The invention also aims to provide a reagent that permits, notably, lysis of the erythrocytes or red corpuscles, which is necessary for determination of leucocytes as well as for measurement of haemoglobin.

It also aims to provide such a haematological-analysis reagent in the form of a single reagent and not in the form of a system of reagents.

15

10

It aims, moreover, to provide such a haematologicalanalysis reagent that does not comprise cyanic compounds.

Furthermore, the invention aims to provide such a
20 haematological reagent that is quite particularly suitable
for automated haematological instruments.

To this end, the invention proposes a haematologicalanalysis reagent of the type defined above, which essentially comprises:

- a buffer system that is suited to adjust selectively the pH of the reagent to an acidic value, in particular to a value lower than 3;

30

- at least one detergent of cationic type; and
- a nitrogenous compound.

The buffer system of the reagent is a key constituent, for the pH of the reagent permits identification of the subpopulation constituted by the basophil cells, which are of particular interest.

5

In fact, on account of their biochemical characteristics the basophil cells are capable of resisting the aggressivity of an acidic pH for a longer time than the other leucocytic subpopulations. This property therefore permits their isolation and their identification, notably by a resistive measurement.

The buffer system is advantageously chosen so that the pH value of the reagent is lower than 3 and preferably equal to 2.4.

The buffer system is advantageously chosen from the following:

- 20 potassium chloride / hydrochloric acid;
 - tartaric acid / sodium hydroxide;
 - citric acid / sodium hydroxide;

25

- potassium hydrogen phthalate / hydrochloric acid;
- citric acid / disodium hydrogen phosphate; and
- 30 boric acid / citric acid / potassium dihydrogen
 phosphate.

The detergents of cationic type fulfil a function of lysis of the red corpuscles or erythrocytes, permitting

liberation of the haemoglobin, which afterwards can be determined by measurement of absorbance. Generally speaking, the ionic detergents (anionic and cationic) are mainly used in order to dissociate the proteinic complexes and to solubilise the proteins of the membranes. They are also known as denaturants. Their action is rapid and therefore compatible with the rate-constraints specific to automated instruments.

- 10 The detergent is advantageously chosen from the following compounds:
 - the primary amines, the acetates and hydrochlorides of fatty amines;

15

- the quaternary ammonium salts and trimethylethylammonium bromide;
- the amides of substituted diamines, cationised by ethyl sulfate, diethanolaminopropylamine or diethylaminopropylamide; and
 - the amides of cyclised diethylenetriamine.
- The nitrogenous compound essentially fulfils a function of physicochemical stabilisation of the by-products of oxidation of haemoglobin.
- This nitrogenous compound is advantageously a thiourea, in particular 1,3-dimethyl-2-thiourea.

The reagent of the invention may comprise, moreover, at least one inorganic salt.

This salt, if it is present, intervenes in the detergent activity and permits the phenomena of osmosis at the level of the cellular membranes to be maintained within the limits of normality, which is important for determination of the basophil cells. This salt also plays a role in the methods for measuring resistivity which are generally applied in automated haematological instruments.

The inorganic salt is advantageously constituted by an alkali-metal salt. The chlorides or sulfates of sodium or potassium may principally be cited as usable salts.

In preferred manner the detergent is present in a concentration of 0.2-20 g/l and the nitrogenous compound is present in a concentration of 0.1-10 g/l.

Brief description of the drawings.

Figure 1 is a graph showing values of measurements for the reagent of a preferred embodiment of the invention in comparison with a reference reagent,

Figure 2 is graph resulting from the reesistive analysis of a blood sample with a reagent according to the invention, and

25

Figure 3 is a graph showing the values of haemoglobin concentrations obtained by a reference reagent and by a reagent according to the invention.

30 Description of preferred embodiment.

The invention will now be described with reference to the following non-limiting example.

EXAMPLE

5

A haematological-analysis reagent is prepared from the compounds stated below and in the concentrations indicated:

	Compounds	Concentrations
	potassium chloride	5-10 g/l
10	1,3-dimethyl-2-thiourea	0.5-3 g/l
	dodecyltrimethylammonium chloride	0.5-5 g/l
15	potassium hydrogen phosphate / HCl	1.0-10 g/l
_ ~		

The above compounds are mixed, and the pH is adjusted to an acidic value lower than 3, typically of the order of 2.4.

With the aid of this reagent, haematological analyses are 20 carried out in respect of a sample of whole human blood, using an automated haematology instrument.

In order to do this, 10 μ l of the sample of whole blood are brought into contact with 2 μ l of the above reagent at 25 35°C.

Various types of analysis are carried out by comparing the reagent of the invention with one or more reference reagents.

The reference reagent is a lysing agent which is used in automated haematological instruments in order to reproduce the dosage of haemoglobin according to the classical, non-

automated methodology, so-called Drabkin methodology. It is a matter of the dosage of cyanomethaemoglobin.

According to this method, ferrous iron (Fe⁺⁺) of the haem of the haemoglobin, oxyhaemoglobin and carboxyhaemoglobin contained in the red corpuscles is oxidised to ferric iron (Fe⁺⁺⁺) by iron cyanide so as to form methaemoglobin.

Methaemoglobin then combines with the cyanide ions so as to form cyanomethaemoglobin which is measured by

10 spectrophotometry at 540 nm [Drabkin, J. Biol. Chem. 112:51 (1935)].

On the other hand, the reagent of the invention is used in a dosage mode without cyanide. The erythrocytic

- haemoglobin is eluted by the action of an appropriate lysis agent. The haemic iron of the eluted haemoglobin is oxidised by the combined action of the erythrocytolytic compound and of the oxygen which is dissolved in the solution. The free methaemoglobin is unstable in
- comparison with cyanomethaemoglobin. Use is therefore made of compounds having electron-donor atoms, in order to reduce the haemic iron and to stabilise the methaemoglobin.

The reagent of the invention is used for various types of analysis which are performed in an automated haematological instrument.

1) Numeration of the leucocytes

30 A count of the total leucocytes or white corpuscles is carried out.

The results of measurement obtained with the reagent of the invention and those obtained with a reference reagent that

does not permit even partial leucocytic differentiation are compared.

- Figure 1 shows the values of measurements expressed in thousands of cells, on the one hand for the reference reagent which is represented on the abscissa, and on the other hand for the reagent of the invention which is represented on the ordinate.
- The graph shows an excellent correlation between the two types of measurement. The values of the correlation coefficient ($R^2 = 0.99$) and of the slope of the straight regression line (0.99) indicate a very good correlation.
- 15 2) <u>Differentiation and numeration of the basophil</u> polymorphonuclear leucocytes

Figure 2 shows the curve resulting from the resistive analysis of a sample of whole blood with the reagent of the invention that was described above. This curve represents a histogram of distribution of the cells according to their size.

The x-axis (abscissa) corresponds to the determination of the cellular volumes (µm³) which are calculated by a resistive measurement. The basophil polymorphonuclear leucocytes are situated to the right of the central cursor (BAS). Located to the left of this central cursor are all the other leucocytic subpopulations, which cannot be differentiated volumetrically by reason of the high aggressivity of the pH of the reagent.

In the example, basophil polymorphonuclear leucocytes are identified which represent a proportion of 6.2 % (by volume) in relation to the total leucocytic population.

5 3) <u>Measurement of haemoglobin</u>

A measurement of haemoglobin is performed with the reagent of the invention, and the results of measurements of the haemoglobin concentration with the reagent of the invention and with a reference reagent containing cyanic compounds are compared.

Figure 3 shows the values of haemoglobin concentrations (expressed in grams/litre) obtained by the reference reagent (representation on the abscissa) and by the reagent of the invention (representation on the ordinate). There too, the values of the correlation coefficient ($R^2 = 0.99$) and of the slope of the straight regression line (1.09) indicate a very good correlation.

20

25

30

Thus the invention provides a single reagent that permits determination of leucocytes, identification of a leucocytic subpopulation (in particular, the basophil polymorphonuclear leucocytes) and measurement of haemoglobin, without using cyanic compounds.

The reagent of the invention presents, notably, the distinctive feature of permitting measurement of haemoglobin under very acidic conditions in relation to the known reagents.

Furthermore, this reagent comes in the form of a single reagent and not in the form of a system of several

reagents, and it is quite especially suitable for analyses that are performed in automated haematological instruments.

Of course, the invention is not limited to the embodiment example described previously but extends to other embodiment variants.

Claims

- A reagent for determination of leucocytes and of basophil polymorphonuclear leucocytes as well as for measurement of haemoglobin in a sample of blood, comprising:
- a buffer system that is suited to adjust selectively the pH of the reagent to an acidic value, in particular to a
 value lower than 3;
 - at least one detergent of cationic type;
 - a nitrogenous compound.

15

- 2. The reagent of Claim 1, wherein the buffer system is suited to adjust the pH to a value equal to 2.4.
- 3. The reagent according to Claim 1 wherein the buffer 20 system is selected from the group comprising:
 - potassium chloride / hydrochloric acid;
 - tartaric acid / sodium hydroxide;

- citric acid / sodium hydroxide;
- potassium hydrogen phthalate / hydrochloric acid;
- 30 citric acid / disodium hydrogen phosphate; and
 - boric acid / citric acid / potassium dihydrogen
 phosphate.

- 4. The reagent of Claim 1, wherein the detergent is selected from the group comprising:
- the primary amines, the acetates and hydrochlorides of fatty amines;
 - the quaternary ammonium salts and trimethylethylammonium bromide;
- 10 the amides of substituted diamines, cationised by ethyl sulfate, diethanolaminopropylamine or diethylaminopropylamide; and
 - the amides of cyclised diethylenetriamine.

- 5. The reagent of Claim 1, wherein the nitrogenous compound is a thiourea.
- 6. The reagent of Claim 5 wherein the thiourea is 1,3-20 dimethyl-2-thiourea.
 - 7. The reagent of Claim 1, further comprising at least one inorganic salt.
- 25 8. The reagent of Claim 7, wherein the inorganic salt is an alkali-metal salt.
- 9. The reagent of Claim 7, wherein the inorganic salt is selected from the group comprising chlorides and sulfates of sodium or potassium.
 - 10. The reagent of Claim 1, wherein the detergent is present in a concentration of 0.2-20 g/l and the

nitrogenous compound is present in a concentration of 0.1- 10 g/l.

11. The reagent of Claim 1, having the following
5 composition:

	Compounds	Concentrátions
10	potassium chloride	5-10 g/l
10	1,3-dimethyl-2-thiourea	0.5-3 g/l
	dodecyltrimethylammonium chloride	0.5-5 g/l
15	potassium hydrogen phosphate / HCl	1.0-10 g/l

Abstract of the disclosure

The invention concerns a reagent for determination of leucocytes and measurement of haemoglobin in a sample of blood. This reagent comprises a buffer system that is

5 suited to adjust selectively the pH of the reagent to an acidic value, at least one detergent of cationic type, a nitrogenous compound and, optionally, at least one inorganic salt. This reagent can be used in haematological analyses in human medicine and also permits the

10 identification of a leucocytic subpopulation, in particular

the basophil polymorphonuclear leucocytes.




FIG.1




FIG.2




FIG.3

DECLARATION FOR PATENT APPLICATION

As a below-named inventor,	I hereby declare that:			
I believe I am the original, of the subject matter which is leucocytes and me	first and sole inventor (if c claimed and for which a p asurement of ha	e as stated below next to my only one name is listed below) patent is sought on the inventie emoglobin in a sam	or an original, first and joint inventor (if plural na on entitled: Respent for determina	mes are listed below)
the specification of which: (c	neck one)			
[🗶 is attached hereto.	l was filed on	, as United States Pa, and was amended on	tent Application Serial No. or PCT International 19 (if applicable).	Application Number
I hereby state that I have referred to above.			ed specification, including the claims, as amende	
inventor's certificate listed be	s). I hereby claim foreign ow, or § 365(a) of any Po	priority benefits under 35 U.S CT international application w	ity of this application in accordance with 37 CFR.C. § 119(a)-(d) or §365(b) of any foreign applic thich designated at least one country other than r inventor's certificate having a filing date before the	ation(s) for patent or
99 03467	,	FRANCE	19/03/99	Priority Claimed
(Application No.)	_	(Country)	(Day/Month/Year Filed)	[X] [] Yes No
(Application No.)	_	(Country)	(Day/Month/Year Filed)	[][] Yes No
I hereby claim the benefit	under Title 35. United Sta		ted States provisional application(s) listed below	
•		ies code § 115(e) of any one	ted states provisional apprication(s) listed below	:
	Application No.		Filing Date	
international filing date of this	application:	1.56(a) which occurred betw	rovided by 35 U.S.C. § 112, first paragraph, I ac een the filing date of the prior application and t	the national or PCT
(U.S. Application	Serial No.)	(U.S. Filing Date)	(Statuspatented, pending, a	abandoned)
(U.S. Application	1 Serial No.)	(U.S Filing Date)	(Statuspatented, pending, a	abandoned)
Registration No. 24,510; Martir Eric J. Franklin. Registration No with full power of substitution a	Abramson, Registration N . 37,134; Jeffri A Kaminsk and revocation, to prosecute	io. 25,787; George R. Pettit, R. i, Registration Number P-42,70 this application and to transac	istration No. 17,276; Burton A. Amernick, Regist; Townsend M. Belser, Jr., Registration No. 2, egistration No. 27,369; Elzbieta Chlopecka, Registration Number P4 and William E. Curry, Registration Number P4 tall business in the Patent and Trademark Office of	2,956; Morris Liss, stration No. 32,767;
Send Co	orrespondence and Direct T Elzbieta Chløpecl		Elzbieta Chløpecka Pollock, Vande Sande & Amernick, R.L.I	
	(202) 331-7111		P.O. Box 19088	
Then 1 1 de se			Washington, D.C. 20036-3425 U.S.A	
nac, and further mat mese state	nells are made with the kr	NWIERGE that willful talca ctot	that all statements made on information and belie ements and the like so made are punishable by fir the validity of the application or any patent issue	
Full name of sole or first inven	^			
	luc Vénic		Date 3 3	ر مون
	rdins d'Alhambra	nº 7 - 511, rue de	Monsieur Teste - F 34000 MON	ITPELLIER
Citizenship FRANCE				
Post Office Address Same X See next page for additional		ce address.		
see nem page for adultional	invertiors			

DECLARATION FOR PATENT APPLICATION

Page Two

Inventor's Signature Residence Address Post Office Address Same as residence address Full name of third joint inventor (if any): Inventor's Signature Residence Address Full name of fourth joint inventor (if any). Inventor's Signature Residence Address Citizenship Post Office Address Full name of sixth joint inventor (if any): Inventor's Signature Residence Address Citizenship Post Office Address Citizenship Post Office Address Citizenship Post Office Address Full name of seventh joint inventor (if any): Inventor's Signature Residence Address Citizenship Post Office Address	Date	
Citizenship France Post Office Address Same as residence address Full name of third joint inventor (if any): Inventor's Signature Residence Address Citizenship Post Office Address	Date	
Post Office Address Full name of third joint inventor (if any): Inventor's Signature Residence Address Citizenship Post Office Address	Date	
Full name of third joint inventor (if any): Inventor's Signature Residence Address Citizenship Post Office Address Full name of fourth joint inventor (if any). Inventor's Signature Residence Address Citizenship Post Office Address Full name of fifth joint inventor (if any): Inventor's Signature Residence Address Citizenship Post Office Address	Date	
Residence Address Citizenship	Date Date	
Residence Address Citizenship	Date Date	
Residence Address Citizenship Post Office Address Full name of fourth joint inventor (if any). Inventor's Signature Residence Address Citizenship Post Office Address Full name of fifth joint inventor (if any): Inventor's Signature Residence Address Citizenship Post Office Address Citizenship Post Office Address Citizenship Post Office Address Citizenship Post Office Address Full name of sixth joint inventor (if any): Inventor's Signature Residence Address Citizenship Post Office Address Citizenship Post Office Address	Date	
Post Office Address Full name of fourth joint inventor (if any). Inventor's Signature Residence Address Citizenship Post Office Address Full name of fifth joint inventor (if any): Inventor's Signature Residence Address Citizenship Post Office Address Full name of sixth joint inventor (if any): Inventor's Signature Residence Address Citizenship Post Office Address Citizenship Post Office Address Citizenship Post Office Address Citizenship Post Office Address	Date	
Post Office Address Full name of fourth joint inventor (if any). Inventor's Signature Residence Address Citizenship Post Office Address Full name of fifth joint inventor (if any): Inventor's Signature Residence Address Citizenship Post Office Address Full name of sixth joint inventor (if any): Inventor's Signature Residence Address Citizenship Post Office Address	Date	
Inventor's Signature Residence Address Citizenship Post Office Address Full name of fifth joint inventor (if any): Inventor's Signature Residence Address Citizenship Post Office Address Full name of sixth joint inventor (if any): Inventor's Signature Residence Address Full name of sixth joint inventor (if any): Inventor's Signature Residence Address Citizenship Post Office Address Citizenship Post Office Address	Date	
Inventor's Signature Residence Address Citizenship Post Office Address Full name of fifth joint inventor (if any): Inventor's Signature Residence Address Citizenship Post Office Address Full name of sixth joint inventor (if any): Inventor's Signature Residence Address Full name of sixth joint inventor (if any): Inventor's Signature Residence Address Citizenship Post Office Address Citizenship Post Office Address	Date	
Residence Address Citizenship Post Office Address Full name of fifth joint inventor (if any): Inventor's Signature Residence Address Citizenship Post Office Address Full name of sixth joint inventor (if any): Inventor's Signature Residence Address Citizenship Post Office Address Citizenship Post Office Address Citizenship Post Office Address Citizenship Post Office Address Full name of seventh joint inventor (if any):	Date	
Citizenship Post Office Address Full name of fifth joint inventor (if any): Inventor's Signature Residence Address Citizenship Post Office Address Full name of sixth joint inventor (if any): Inventor's Signature Residence Address Citizenship Post Office Address Citizenship Post Office Address Citizenship Post Office Address	Date	
Post Office Address Full name of fifth joint inventor (if any): Inventor's Signature Residence Address Citizenship Post Office Address Full name of sixth joint inventor (if any): Inventor's Signature Residence Address Citizenship Post Office Address Full name of seventh joint inventor (if any):	Date	
Residence Address Citizenship Post Office Address Full name of sixth joint inventor (if any): Inventor's Signature Residence Address Citizenship Post Office Address Full name of seventh joint inventor (if any):	Date	
Residence Address Citizenship Post Office Address Full name of sixth joint inventor (if any): Inventor's Signature Residence Address Citizenship Post Office Address Full name of seventh joint inventor (if any):	Date	
Residence Address Citizenship Post Office Address Full name of sixth joint inventor (if any): Inventor's Signature Residence Address Citizenship Post Office Address Full name of seventh joint inventor (if any):		
Citizenship Post Office Address Full name of sixth joint inventor (if any): Inventor's Signature Residence Address Citizenship Post Office Address Full name of seventh joint inventor (if any):		
Post Office Address Full name of sixth joint inventor (if any): Inventor's Signature Residence Address Citizenship Post Office Address Full name of seventh joint inventor (if any):		
Residence Address Citizenship Post Office Address Full name of seventh joint inventor (if any):		
Residence Address Citizenship Post Office Address Full name of seventh joint inventor (if any):		
Residence Address Citizenship Post Office Address Full name of seventh joint inventor (if any):	Date	
Citizenship Post Office Address Full name of seventh joint inventor (if any):		
Post Office Address Full name of seventh joint inventor (if any):		
nventor's Signature		
	Date	
Residence Address		
Citizenship		
Post Office Address		
Full name of eighth joint inventor (if any):		
nventor's Signature	Date	
Residence Address		
Citizenship		
Post Office Address		
		·· · · · ·